

Océ Specifications

LFM 220 Transparent Paper, 80 g/m²



Océ Imaging
Supplies
Product Info

Property	Target	Deviation	Unit
Grammage	82	4	g/m ²
Acidity	7.0	1	pH
Thickness	72	3	µm
ISO Brightness R457 + UV	65	1	%
ISO Brightness R457 - UV	65	1	%
Opacity	71	1	%
Stiffness (Lorentzen) MD	52	10	mN
Stiffness (Lorentzen) CD	26	10	mN
Roughness (Bendtsen) WS	225	50	ml/min
Roughness (Bendtsen) TS	225	50	ml/min

Wide Format
Printing Supplies
Version 02

Storage

Wide-Format Printing Supplies can be stored in virtually all room conditions. However, toner adhesion and line density can be influenced by the relative humidity. It is therefore advisable to repack the supplies in the original wrapping material when not used for a prolonged period.

Océ-Technologies B.V.



Postbus 101
5900 MA Venlo
+31 (0)77 3592222
www.oce.com

Printing for
Professionals

© September 2004 Océ-Technologies B.V. Illustrations and specifications do not necessarily apply to the standard version of machines in all local markets. Technical specifications subject to change without prior notice. All products mentioned in this brochure are claimed as trademarks or registered trademarks of their respective companies.