



Océ PlotWave® 350 printing system

Print The Way You Want



Mobile, fast and reliable large format printing

Get more options to print the way you want, wherever you are, with the Océ PlotWave 350 printing system. Designed to meet the needs of technical professionals on the go. This system is the next wave in mobility, speed and reliability for printing, copying and scanning technical documents. It builds on the award-winning success of the Océ PlotWave 300 printer. Enhanced with exciting new features to keep your business moving ahead.

Canon
CANON GROUP

Work more flexibly: print from anywhere

If you have access to a WiFi router in your network, you can use a smart phone or computer to retrieve technical files from a cloud or send a print request to your printer via Océ Mobile WebTools.

You can print and retrieve scanned documents with Océ Mobile WebTools or a USB mass storage device. Or you can use Océ Publisher Select to submit complex print jobs.

Print up to 6 A1 plots per minute without long delays

Say goodbye to printing delays. Now you can print up to 6 A1 plots in one minute, with virtually no warm-up time. From sleep mode to print in hand in only 40 seconds. This easily saves you an hour a day, thanks to the energy efficient Océ Radiant Fusing technology.

The fresh, straightforward new user interface helps you to print complex drawings more easily and correctly the first time. The Océ Windows Printer Driver 2 includes a What You See is What You Print preview that clearly highlights potential errors if settings are not correct. Just correct your settings and click the print key.

The reliable way to cut costs and build profits

With over 50 new components and a speed increase of 50%, this system provides even better performance. The new gray tone optimization boosts the print quality as well.

Operational costs are kept low with the hard working construction that outlasts many comparable systems. Critical components are completely enclosed to reduce wear and tear. Reinforced materials extend the system's lifetime and withstand intensive walk-up usage.



Technology
Description
Imaging technology
Toner
Speed
Resolution
General
Configuration
Warm-up time
First print time
Size main engine (WxDxH)
Weight main engine
Certifications
Controller
Description
Client operating system support
Memory
Hard disk
Interface
Page description language
Protocols
Security
Options
Scanner
Description
Scan resolution
Scan speed
Scan format
Scan destination
Original width
Original length
Original thickness
Zoom
Preset modes
Size scanner (WxDxH)
Weight scanner
Workflow
Description
Printer drivers
Job submission
Job management
Accounting
Templates
Options
Hardware
Software

Black & white all-in-one wide format print/copy/scan system with color scanner
Electrophotography (LED), organic photoconductor (OPC), clean closed toner system, Océ Radiant Fusing
Océ black toner: 0.4 kg per bottle
3.1 ppm (A0); 5.9 ppm (A1); 6.2 ppm (D-size)
600 x 1200 dpi
Multifunctional
Less than 1 second, thanks to Océ Radiant Fusing technology
31 seconds (A1 / D-size)
From sleep mode: 40 seconds (A1 / D-size)
152.7 x 80 x 149.5 cm; 60.1 x 31.5 x 58.9" (including top delivery tray)
180 kg; 397 lbs
EPA ENERGY STAR®, FEMP, TÜV GS, CETECOM, CE, UL, cUL, CB, FCC Class A, RoHS
Océ PowerM® controller with Windows® XP Embedded
Windows XP / Vista / 7 (32- / 64-bit) / Server 2003 / Server 2008, Terminal Server, Citrix® MetaFrame and Presentation Server, Mac® OS X (only Adobe® PostScript® 3/PDF driver supported)
1 GB
160 GB
Ethernet 100 Mbit/s, 1 Gbit/s
HP-GL, HP-GL/2, TIFF, JPEG, DWF, CALS, NIFF, NIRS, ASCII, C4, Calcomp 906/907/951
Option: Adobe PostScript 3/PDF
Network: TCP/IP (IPv4, IPv6), IPsec, SNMP
Printing: LPR, NDPS®, FTP
Scanning: FTP, SMB
E-shredding, IPsec
Adobe PostScript 3/PDF file interpreter
Contact Image Sensor (CIS) with Océ Color Image Logic technology
600 - 600 dpi
Copying: 7 m/min; 23 ft/min
Black & white scanning: 11.7 m/min; 38.4 ft/min
Color scanning: 3.9 m/min; 12.8 ft/min
TIFF, PDF, PDF/A, JPEG, CALS, multi-page PDF, multi-page PDF/A and multi-page TIFF
Local USB flash drive, FTP, SMB, Controller, mobile device via Océ Mobile WebTools
208 - 965 mm; 8.2" - 38"
208 mm - 16 m; 8.2" - 52.5 ft
Maximum 0.8 mm; 0.03" (non-rigid documents)
Scale to standard format
Custom: 10 - 1000 %
Lines & text, Lines & text draft, Folded lines & text, Photo, Colored, Dark original, Blueprint
109.7 x 30.8 x 14 cm; 43 x 12 x 5.5"
24.5 kg; 54 lbs
Concurrent print, copy and scan of single documents or sets
Océ Windows Printer Driver, Océ PostScript 3 driver
Océ Publisher Express, Océ Publisher Select
Océ Mobile WebTools for iOS, Android, Symbian and BlackBerry®
Print and history queue, Smart inbox, Manage queue, Océ Express WebTools, Secure controller access, remote shutdown and restart.
Option: Océ Account Center
4 copy templates, 4 scan templates
Océ Scanner Express, Additional roll unit, Front original tray, Océ 2400 fanfold
Océ View Station
Océ Repro Desk® Studio, Océ Repro Desk Web Client, Océ Repro Desk Select, Océ Repro Desk Professional, Océ Client Tools



Printing for Professionals

www.oce.com

Edition 2012-04



© 2012 Océ.

Illustrations and specifications do not necessarily apply to products and services offered in each local market. Technical specifications are subject to change without prior notice.

Océ, Océ PlotWave, Océ Power Logic, Océ Image Logic and Océ Repro Desk are registered trademarks of Océ-Technologies B.V. Adobe and PostScript are registered trademarks of Adobe Systems Incorporated. Citrix is a trademark of Citrix Systems, Inc. and/or one or more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries. Mac is a registered trademark of Apple Computer, Inc. Windows is a registered trademark of the Microsoft Corporation in the United States and/or other countries. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency (EPA). All other trademarks are the property of their respective owners.