



## Océ PlotWave® 900 printing system

# Serious Power



### Steadfast reliability for productive printing

Where do you find the kind of serious power that will handle your high-volume production printing, cost-efficiently? And deliver outstanding image quality? There is only one choice. The Océ PlotWave 900 print, copy and scan system. It is the next evolution in our award-winning Océ TDS800 Pro system with proven Océ technologies. It gives you serious power to help you build the world around us.

**Canon**  
CANON GROUP

### High-volume throughput

Today the most advanced architectural, engineering and construction companies use Océ systems to build the world around us. As the market leader in engineering printing, we understand what it takes to get the job done in high pressure environments. The Océ PlotWave 900 delivers the highest possible output from a single printing system.

### Direct earning power

The Océ PlotWave 900 is designed to run for three million meters or eleven years, even in a high-volume and high-stress environment. Thanks to the superb support of our award-winning service organization, many of our customers may use the system even longer. That makes this system your safest long-term investment. And the more you print, the faster you will earn back your investment.

### Outstanding print quality

The Océ PlotWave 900 delivers the best reproduction quality in its class, thanks to 600 x 1200 dpi print quality, advanced image processing and Océ Copy Press® technology. The system produces crisp line drawings, clear grayscale reproduction of color originals, distortion-free photo enlargements and smoothly rasterized documents without moiré artifacts. Improvements in the toner unit ensure that solid black areas are printed consistently over time.



|                           |
|---------------------------|
| <b>Technology</b>         |
| Description               |
| Imaging technology        |
| Toner                     |
| Speed                     |
| Resolution                |
| <b>General</b>            |
| Configuration             |
| Warm-up time              |
| Size main engine (WxDxH)  |
| Weight main engine        |
| Certifications            |
| <b>Controller</b>         |
| Description               |
| Operating system          |
| Memory                    |
| Hard disk                 |
| Interface                 |
| Page description language |
| Protocols                 |
| Printer drivers           |
| Security                  |
| Options                   |
| <b>Scanner</b>            |
| Description               |
| Scan resolution           |
| Scan speed                |
| Scan format               |
| Scan destination          |
| Original width            |
| Original length           |
| Original thickness        |
| Zoom                      |
| Preset modes              |
| Size scanner (WxDxH)      |
| Weight scanner            |
| <b>Workflow</b>           |
| Description               |
| Job submission            |
| Job management            |
| Accounting                |
| Templates                 |
| <b>Hardware options</b>   |

|   |
|---|
| Productive wide format black & white print/copy/scan system   |
| LED - Océ Copy Press  |
| Océ PlotWave 900 Toner, 3000 grams per carton (2 bottles)   |
| 13 meters per minute; 10 ppm (A0); 18 ppm (D)   |
| 600 x 1200 dpi  |
| Printer only or multifunctional   |
| 15 minutes  |
| 172 x 114 x 143 cm; 67.7 x 45 x 55.2"   |
| 937 kg; 2065 lbs  |
| EPA ENERGY STAR®, TÜV GS, CETECOM, CE, UL, cUL, CB, FCC Class B, RoHS   |
| Océ PlotWave 900 controller   |
| Windows® XP / Vista / 7 / Server 2003 / Server 2008, Terminal Server, Citrix® MetaFrame, Mac® OS 9 / OS X (Adobe® PostScript® 3/PDF driver) |
| 2 GB  |
| 2 x 250 GB  |
| 10/100/1000 BaseT with RJ45   |
| HP-GL, HP-GL/2, TIFF, JPEG, DWF, Adobe PostScript 3/PDF, CALS-I, NIRS, ASCII, CalComp, C4   |
| TCP/IP, SMB (scan-to-file), IPv6, IPX/SPX, FTP, LPD   |
| Océ Windows Printer driver, Océ PostScript 3 driver   |
| E-shredding   |
| Adobe fonts: Chinese Traditional / Chinese Simplified / Japanese / Korean   |
| Océ View Station  |
| Océ Repro Desk Studio, Océ Repro Desk Select, Océ Repro Desk Professional   |
| Océ Remote Services   |
| Océ PlotWave 900 scanner with Océ Image Logic® technology   |
| 200 - 400 dpi   |
| 10 m/min; 32.8 ft/min   |
| TIFF, PDF/A, JPEG, CALS, multi-page PDF/A and multi-page TIFF   |
| FTP, Network Directory, Controller  |
| 210 mm - 914 mm; 8.5" - 36"   |
| 210 mm - 200 m; 8.5" - 650 ft   |
| Maximum 3 mm; Maximum 0.12"   |
| 25 - 400 %  |
| Lines & text, Photo, Grays & lines, Dark original, Blueprint, Cut & paste, Printed matter   |
| 132 x 64 x 123.5 cm; 52 x 25.2 x 48.6"  |
| 147 kg; 325 lbs   |
| Concurrent print, copy, scan and file processing  |
| Océ Repro Desk, Océ Publisher Express, Océ Publisher Select   |
| Print and history queue, Smart inbox, Manage queue, Océ Express WebTools, Secure controller access  |
| Software module in Océ Express WebTools   |
| Option: Océ Account Console   |
| 4 copy templates, 4 scan templates  |
| Online folder, Reinforcement unit, Punch unit, Delivery belts, Copy delivery tray, Océ Double Decker Pro stacker, Original delivery tray    |



**Printing for Professionals**

[www.oce.com](http://www.oce.com)

Edition 2012-04



© 2012 Océ.

Illustrations and specifications do not necessarily apply to products and services offered in each local market. Technical specifications are subject to change without prior notice.

Océ, Océ PlotWave 900, Océ Copy Press and Océ Image Logic are registered trademarks of Océ-Technologies B.V. Adobe and PostScript are registered trademarks of Adobe Systems Incorporated. Citrix is a trademark of Citrix Systems, Inc. and/or one or more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries. Mac is a registered trademark of Apple Computer, Inc. Windows is a registered trademark of the Microsoft Corporation in the United States and/or other countries. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency (EPA). All other trademarks are the property of their respective owners.