

Quick Scanning and High Image Quality.

Productivity Enhancement for Departments/Workgroups.

Hi-Resolution and Hi-Capacity Scanning.

With the lamp type "CCD", the Plustek SmartOffice PL3000 is great ideal for photo scanning. Improved color accuracy enhances images for much truer and more consistent colors. So, it offers high depth of field and true color in graphic scanning needs. With the flatbed and ADF functionality, it is really helpful to capture any size of documents, and the software bundles are well suited for departmental and workgroup users. All of the versatile features not only help productivity increase but also performance, especially the needs to digital document archiving and management, or paper report scanning.

Efficient Digital Document Management.

With the Plustek SmartOffice PL3000, there is no need to wait for document scanning pages by pages. The built-in automatic document feeder (ADF) allows 80 sheets of documents to be scanned at one time and achieves fast scan rate of 30 ppm. From handwriting notes, photos, any application forms, to normal documents, it can offer

high-speed and hi-resolution simplex color scanning. This scanner is the most helpful to digital document filing and management, especially in a compact footprint with 24-bit color, grayscale, and black-and-white scanning. All businesses can be working out efficiently and productivity with its outstanding performance.

Easy Scan - Single-Touch Function Buttons.

Considering a lot of paper work with your office routines, the Plustek SmartOffice PL3000 enables easy scanning of typical office documents. It also offers 7 Single-Touch Function Buttons, including direct scan to OCR, File, Copy, E-mail and searchable PDF format, as well as two user-customized buttons. With TWAIN driver and Single-Touch function buttons, it is really seamless to communicate with more Document Imaging and Management software applications. It offers a highly reliable and hi-volume color scanner with the acceptable paper size ranging from 3.55" by 4.5" to 9.65" by 14", especially useful for the continuous paper scanning.

Plustek SmartOffice PL3000



Outstanding Flatbed and ADF Scanner.
Hi-Quality Performance with Advanced Paper Handling.



Key Features

- Simplex Color Scan, 30 PPM Scan Speed, 80 Sheet ADF Capacity
- Legal Size & Wider Paper Documents Support (245 mm / 9.65")
- Multilanguage User Interface
- Simple Steps of Cleaning Up, Caring, and Maintenance
- Small Footprint Ideal for Receptionist/Administrative Desk
- Single-Touch Function Buttons OCR, File, Scan, Copy, E-Mail, Custom 1, Custom 2
- Easy Configure of Each Single-Touch Function Buttons with AP Software Bundles
- TWAIN and WIA Drivers Allows Full Document Management Solutions Implementations

Software Bundled

- Plustek DocAction
- Plustek DI Capture
- · NewSoft Presto! ImageFolio
- NewSoft Presto! PageManager
- I.R.I.S. Readiris Pro 10 Corporate Edition

Software Bundled









DocAction

NewSoft Presto! PageManager

System Requirement

IBM Compatible PC, with Pentium III 1G or faster CPU / CD-ROM Driver / One available USB Port / 256 MB RAM (512 MB or higher recommended) / 800 MB free HDD space (1 GB or larger recommended) / High Color graphic card (VGA or higher) / Windows XP Home Edition, Windows XP Professional, Windows 2000, Windows Vista , Windows 7

Headquarters: sales@plustek.com

Specification

Optical Resolution	1200 dpi
Hardware Resolution	Flatbed: 1200 x 1200 dpi
	ADF: 400 x 600 dpi
Scan Modes	Color: Input 48-it; Output 24-bit
	Grayscale: Input 16-bit; Output 8-bit
	Black & White: 1-bit
ADF Feeder Capacity	80 sheets (A4/Letter, 70 g/m2 or 18 lb.)
ADF Scanning Speed	30 ppm (200 dpi, B&W mode, A4 Portrait)
	30 ppm (200 dpi, grayscale mode, A4 Portrait)
	20 ppm (150 dpi, color mode, A4 Portrait)
Flatbed Scan Area (W x L)	Maximum 216 x 297 mm (8.5" x 11.69")
	Minimum 12.7 x 12.7 mm (0.5" x 0.5")
ADF Scan Area (W x L)	Maximum 216 x 356 mm (or 8.5" x 14")
	Minimum 90 x 114 mm (or 3.55" x 4.5")
Flatbed Acceptable Paper Sizes(W x L)	Up to A4/Letter size (8.5" x 11.69")
ADF Acceptable Paper Sizes(W x L)	Maximum 245 x 356 mm (or 9.65" x 14")
	Minimum 90 x 114 mm (or 3.55" x 4.5")
Acceptable Paper Weight for ADF	50 to 120 g/m2 (or 14 to 32 lb.)
Daily Duty Scan (Pages)	3000
Power Consumption	Operation: < 40W (when using ADF)
	< 24W (when using Flatbed)
	Idle: 4.3 watts
Power Supply	Input voltage/frequency: 100Vac – 240Vac (-10 % to
	+10 %), 47 to 63 Hz
	Output voltage/watt: 24Vdc, 1.67A
Environment Requirement	WEEE/ ROHS
Interface	USB 2.0 High Speed
Net Weight	5.5 Kgs (12.1 Lbs)
Physical Dimensions (WxDxH)	Without ADF Input Tray:
	468 x 341.5 x 195 mm (18.43" x 13.44" x 7.68")
	With ADF Input Tray:
	468 x 341.5 x 320 mm (18.43" x 13.44" x 12.60")
Protocols	TWAIN Compliant
EMI	FCC Class A, CE

Cold Cathode Fluorescent Lamp











© 2010 by Plustek Inc. All rights reserved. All registered trademarks are the property of their respective owners.