MSDS #: \_\_ Product Code: Page 1 of 8 IC1654-0303

0894B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Identifier:** 

**Product Name:** Canon Ink Tank PFI-102MBK

**Product Code:** 0894B

Relevant Identified Uses: Ink for Ink Jet Printer

**Details of Supplier of Safety Data Sheet:** 

Supplier: Canon Europa NV

Address: Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands

**Telephone Number:** +31 20 5458545, +31 20 5458222

E-mail Address: www.canon-europe.com, ceu-Reach@canon-europe.com

Emergency Telephone Number: DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240; Emergency Telephone Number: DETICITING OF A 18 48

mergency Telephone Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48;

\_\_UK\_only\_0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

**Manufacturer:** Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2 HAZARDS IDENTIFICATION

**Emergency Overview:** 

Ink tank containing black liquid ink with slight odor.

**US Regulatory Status under OSHA HCS:** 

Classified as hazardous.

**US Label Elements under OSHA HCS:** 

**Signal Word:** Not required

Hazard Warning: VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

Safety Advice: Not required

**Hazardous Component:** Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

**R-Phrase:** Not required

S-Phrase: Not required

**Dangerous Component:** Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Safety data sheet available for professional user on request.

Other Hazards:

None

Date of Issue: March 15, 2006 Revision Date: July 20, 2012



MSDS #:

Page 2 of 8 IC1654-0303

Product Code: 0894B

### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: Mixture

**Ingredient(s):** 

Ingredient(s): Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration Range (%)	67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
			Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement* <sup>1</sup>	Hazards*2
Glycerin	56-81-5 / 200-289-5	10 - 15	None	None	None	None	(1)
Diethylene glycol	111-46-6 / 203-872-2	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	
Lactam	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

<sup>\*1</sup> Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

#### Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Date of Issue: March 15, 2006 Revision Date: July 20, 2012

<sup>\*2</sup> The following substance(s) is (are) marked with (1), (2) and/or (3)

<sup>(1)</sup> Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

<sup>(2)</sup> PBT substance or vPvB substance under Regulation (EC) No 1907/2006

<sup>(3)</sup> Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

MSDS #: \_ Product Code: Page 3 of 8 IC1654-0303

0894B

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Most Important Symptoms and Effects, both Acute and Delayed:

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

#### Eye:

No irritation is expected. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### **Indication of Any Immediate Medical Attention and Special Treatment Needed:**

None

#### SECTION 5 FIRE FIGHTING MEASURES

### **Extinguishing Media:**

#### **Suitable Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

#### **Unsuitable Extinguishing Media:**

None

#### **Special Hazards:**

None

#### **Hazardous Combustion Products:**

CO, CO2, NOx and SOx

#### **Advice for Fire-fighters:**

None

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Avoid breathing vapor and mist.

#### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

#### Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Date of Issue: March 15, 2006

Revision Date: July 20, 2012



Page 4 of 8 IC1654-0303

MSDS #: MATERIAL SAFETY DATA SHEET Product Code: 0894B

	LING AND STORAG	E						
Precautions for Safe Handling:								
Avoid breathing vapor and mist.								
Use with adequate ventilation.								
Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.								
Conditions for Safe Storage, Including Any Incompatibilities:								
Keep in a cool and dry place.								
Protect from sunlight.								
Keep out of the reach of children.								
Specific End Uses:								
Ink for Ink Jet Printer.								
For more information, please refer to the instruction of this product.								
SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION								
Control Parameters:	USA	ACGIH TLV	EU OEL					
	OSHA PEL							
Product (Ink)	Not established	Not established	Not established					
Glycerin	Glycerin mist:	Glycerin mist:	Not established					
•	TWA 15 mg/m <sup>3</sup>	TWA 10 mg/m <sup>3</sup>						
	(Total dust) TWA 5 mg/m <sup>3</sup>							
	(Respirable fraction)							

**Exposure Controls:** Engineering Controls: No special ventilation equipment is needed under intended use of this product. **Individual Protection Measures:** 

**Eye/Face Protection:** Required Not Required ☐ Required ☑ Not Required **Skin Protection: Respiratory Protection:** Required Not Required

Date of Issue: March 15, 2006 Revision Date: July 20, 2012

MSDS #: \_

Page 5 of 8 IC1654-0303

Product Code: 0894B

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES					
Information on Basic Physical and Chemical Properties:					
Appearance:	Black liquid				
Odor:	Slight odor				
pH:	7 - 8				
Melting Point/Freezing Point ( ${}^{\circ}$ C):	Not available				
Initial Boiling Point and Boiling Range (°C):	Not available				
Flash Point(°C):	None (Estimate)				
Evaporation Rate:	Not available				
Flammability:	Neither flammable nor combustible.				
Upper/Lower Flammable or Explosive Limits:	None (Estimate)				
Vapor Pressure :	Not available				
Vapor Density:	Not available				
Relative Density:	1.0 - 1.1				
Water Solubility:	Miscible				
Fat Solubility:	Not available				
Partition Coefficient (n-Octanol/Water):	Not available				
Auto-ignition Temperature ( ${}^{\circ}$ C):	None (Estimate)				
<b>Decomposition Temperature</b> ( ${}^{\circ}C$ ):	Not available				
Viscosity (mPa s):	1-5				
<b>Explosive Properties:</b>	None (Estimate)				
Oxidizing Properties:	None (Estimate)				
Other Information:	Not available				
SECTION 10 STABILITY AND REACTIVITY					
Reactivity: None					
Chemical Stability:	table Unstable				
Possibility of Hazardous Reactions: None					
Conditions to Avoid: None					
Incompatible Materials: Acids	s, bases, oxidizing materials and reducing agents				
Hazardous Decomposition Products: CO, CO <sub>2</sub> , NOx, SOx and Ammonia					

MSDS #: Product Code:

IC1654-0303

0894B

Page 6 of 8

#### TOXICOLOGICAL INFORMATION **SECTION 11**

**Information on Toxicological Effects:** 

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

Not available

**Corrosivity/Irritation:** 

Skin:

Mild irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

Eye:

Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

**Sensitization:** 

Skin:

Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

**Repeated Dose Toxicity:** 

Not available

**Carcinogenicity:** 

Not available

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Toxicity for Reproduction:** 

Not available

Other Information:

Not available

Date of Issue: March 15, 2006

Revision Date: July 20, 2012

MSDS #: Product Code:

Page 7 of 8 IC1654-0303

0894B

**SECTION 12 ECOLOGICAL INFORMATION** 

**Toxicity:** Not available

Persistence and Degradability: Not available

**Bioaccumulative Potential:** Not available **Mobility in Soil:** Not available

Results of PBT and vPvB

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under **Assessment:** Regulation (EC) No 1907/2006.

**Other Adverse Effects:** Not available

DISPOSAL CONSIDERATIONS **SECTION 13** 

**Waste Treatment Methods:** 

Disposal should be subject to federal, state and local laws.

TRANSPORT INFORMATION **SECTION 14** 

**UN Number:** None

None **UN Proper Shipping Name:** 

**Transport Hazard Class:** None

None **Packing Group:** 

Not classified as environmentally hazardous under UN Model Regulations and marine **Environmental Hazards:** 

pollutant under IMDG Code.

**Special Precautions for User:** None

REGULATORY INFORMATION **SECTION 15** 

< USA Information >

**SARA Title III §313:** 

Chemical Name Weight %

None

California Proposition 65:

**Chemical Name** Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

Not regulated **Restriction:** 

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

**WHMIS Controlled Product:** Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

Date of Issue: March 15, 2006 Revision Date: July 20, 2012



MSDS #:

Page 8 of 8 IC1654-0303

Product Code: 0894B

#### OTHER INFORMATION **SECTION 16**

<EU R-phrase according to 67/548/EEC>

R22: Harmful if swallowed.

<EU Hazard statement according to (EC) No 1272/2008>

H302: Harmful if swallowd.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

#### Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and

2009/161/EU

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: March 15, 2006 Revision Date: July 20, 2012