Canon

MATERIAL SAFETY DATA SHEET

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

τu	
Product Identifier:	
Product Name:	Canon Ink Tank PFI-303MBK
Product Code:	2957B
Relevant Identified Us	Ink for Ink Jet Printer
Details of Supplier of	Safety Data Sheet:
Supplier:	Canon Europa NV
Address:	Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands
Telephone Number	: +31 20 5458545, +31 20 5458222
E-mail Address:	www.canon-europe.com, ceu-Reach@canon-europe.com
Emergency Telephone	DENMARK: +45 82 12 12; GERMANY: +49 30 19240, +49 761 19240; BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48; UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31
Manufacturer:	Canon Inc.
Address:	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan
SECTION 2 HA	ZARDS IDENTIFICATION
Emergency Overview: Ink tank containing US Regulatory Status Classified as hazard	black liquid ink with slight odor. under OSHA HCS:
US Label Elements un	nder OSHA HCS:
	Not required
Hazard Warning:	
Safety Advice:	Not required
Hazardous Compo	onent: Not required
EU Classification und	
EU Label Elements ur	nder 1999/45/EC:
Symbol & Indicat	ion: Not required
R-Phrase:	Not required
S-Phrase:	Not required
Dangerous Compo	onent: Not required
••	Elements in accordance with Annex V to 1999/45/EC: neet available for professional user on request.
Other Hazards:	

None



MATERIAL SAFETY DATA SHEET

Page 2 of 8 IC1844-0303

MSDS #:

Product Code:

2957B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s): Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration	67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
		Range (%)	Symbol/ Indication of Danger	R-Phrase ^{*1}	Hazard Class/ Category Code	Hazard Statement ^{*1}	Hazards ^{*2}
Glycerin	56-81-5 / 200-289-5	10 - 15	None	None	None	None	(1)
Diethylene glycol	111-46-6 / 203-872-2	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	
Lactam	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



FIRST AID MEASURES **SECTION 4 First Aid Measures:** Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. **Ingestion:** Rinse mouth. Give one or two glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Skin: Wash with water and soap or mild detergent. If irritation persists, obtain medical advice. Eye: Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately. Most Important Symptoms and Effects, both Acute and Delayed: Inhalation: No adverse effects are expected under intended use. Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea. **Ingestion:** May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting. Skin: May cause mild irritation and no sensitization. (See SECTION 11) Eye: No irritation is expected. (See SECTION 11) **Chronic Effects:** Not identified **Indication of Any Immediate Medical Attention and Special Treatment Needed:** None **SECTION 5** FIRE FIGHTING MEASURES **Extinguishing Media: Suitable Extinguishing Media:** CO₂, water, foam or dry chemicals **Unsuitable Extinguishing Media:** None **Special Hazards:** None

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Advice for Fire-fighters:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Avoid breathing vapor and mist.

Canon

Page 4 of 8 IC1844-0303

MSDS #:

Product Code:

SECTION 7 HANDLING AND STORAGE

Precautions for Safe Handling:

Avoid breathing vapor and mist.

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Conditions for Safe Storage, Including Any Incompatibilities:

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

Specific End Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

ntrol Parameters:	USA OSHA PEL	ACGIH TLV	EU OEL Not established	
Product (Ink)	Not established	Not established		
Glycerin	Glycerin mist: TWA 15 mg/m ³ (Total dust) TWA 5 mg/m ³ (Respirable fraction)	Glycerin mist: TWA 10 mg/m ³	Not established	

Exposure Controls:

Engineering Controls: No special ventilation equipment is needed under intended use of this product. **Individual Protection Measures:**

Eye/Face Protection: Required Not Required

Skin Protection: 🗌 Required 🛛 Not Required

Respiratory Protection: Required Not Required

MSDS #:

IC1844-0303 2957B

Product Code: PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9 Information on Basic Physical and Chemical Properties: Appearance:** Black liquid **Odor:** Slight odor 7 - 8 pH: Melting Point/Freezing Point (°C): Not available **Initial Boiling Point and** Not available Boiling Range (°C): Flash Point(°C): None (Estimate) **Evaporation Rate:** Not available Neither flammable nor combustible. Flammability: Upper/Lower Flammable or **Explosive Limits:** None (Estimate) Vapor Pressure : Not available Vapor Density : Not available **Relative Density:** 1.0 - 1.1 Water Solubility : Miscible **Fat Solubility :** Not available Partition Coefficient (n-Octanol/Water): Not available Auto-ignition Temperature (°C): None (Estimate) **Decomposition Temperature(°C):** Not available Viscosity (mPa s): 1 - 5 None (Estimate) **Explosive Properties: Oxidizing Properties:** None (Estimate) **Other Information:** Not available **SECTION 10** STABILITY AND REACTIVITY **Reactivity:** None \boxtimes Stable \square Unstable **Chemical Stability:** Possibility of Hazardous Reactions: None

Acids, bases, oxidizing materials and reducing agents

Hazardous Decomposition Products: CO, CO₂, NOx, SOx and Ammonia

None

Conditions to Avoid:

Incompatible Materials:



CCTION 11 TOXICOLOGICAL INFORMATION	
formation on Toxicological Effects:	
Acute Toxicity: Inhalation:	
Not available	
Ingestion:	
Not available	
Corrosivity/Irritation: Skin:	
Mild irritant (rabbit) (Estimate)	
OECD Guidelines No. 404 (2002), 2004/73/EC Method B4	
Eye:	
Non-irritant (rabbit) (Estimate)	
OECD Guidelines No. 405 (2002), 2004/73/EC Method B5	
Sensitization: Skin:	
Non-sensitizer (mouse) (Estimate)	
OECD Guidelines No. 429 (2002), 2004/73/EC Method B42	
Repeated Dose Toxicity:	
Not available	
Carcinogenicity:	
Not available	
Mutagenicity:	
Ames test: Negative (S. typhimurium & E. Coli)	
Toxicity for Reproduction:	
Not available	
Other Information:	
Not available	
<u>- · · · · · · · · · · · · · · · · · · ·</u>	

Canada			MSDS #:	Page 7 of 8 IC1844-0303	
Canon	MATI	CRIAL SAFETY DATA SHEET	Product Code:	2957B	
SECTION 12 ECO Toxicity:	LOGICAL INFO Not availa				
Persistence and Degrad					
Bioaccumulative Potent					
Mobility in Soil:	Not availa				
Results of PBT and vPv		that the component(s) of this ink meet(s)	the PRT or vPvB	criteria under	
Assessment:		(EC) No 1907/2006.			
Other Adverse Effects:	Not availa	ble			
Waste Treatment Meth		state and local laws.			
UN Number:	NSPORT INFOR None	IVIA I IUN			
UN Proper Shipping Na					
Transport Hazard Clas	-				
Packing Group:	None				
Environmental Hazard		ed as environmentally hazardous under U der IMDG Code.	N Model Regula	tions and mari	
Special Precautions for	User: None				
SECTION 15 REG	ULATORY INFO	RMATION			
< USA Information >					
SARA Title III §313: Chemical Name			Waight 0/		
			Weight %		
<u>None</u> California Proposition	65.				
Chemical Name	03.		Weight %)	
None			0		
< EU Information > Safety, Health and Env	ironmental Regu	ations/Legislation:			
(EC) No 1907/2006:	Authorisation:No	tregulated			
	Restriction: No	t regulated			
(EC) No 1005/2009:					
(EC) No 850/2004:	Not regulated				
(EC) No 689/2008:	Not regulated				
Others:	None				
	sment under (EC)	No 1907/2006: <u>Not required</u> pplicable (Manufactured article)			
< Australia Information Statement of Hazaro	>	lassified as hazardous according to criteri	a of NOHSC.		

Canon

MSDS #:

SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC> R22: Harmful if swallowed.

<EU Hazard statement according to (EC) No 1272/2008> H302: Harmful if swallowed.

<Revised information from the previous version> Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910

- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of
- Chemicals to Humans
- EU Directive 1999/45/EC

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008

- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA) FHSA: Federal Hazardous Substances Act (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative SVHC: Substances of Very High Concern IARC: International Agency for Research on Cancer NTP: National Toxicology Program (USA) OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA) ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU TWA: Time Weighted Average

STEL: Short Term Exposure Limit

STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

Tronibe. Trational Occupational Troatin and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.