MSDS #:

Revision Date: September 18, 2012

Product Code:

Page 1 of 8 IC2017-0202

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **SECTION 1** COMPANY/UNDERTAKING

Product Identifier:

Product Name: Canon Ink Tank PFI-304B

Product Code: 3857B

Relevant Identified Uses: Ink for Ink Jet Printer

Details of Supplier of Safety Data Sheet:

Canon Europa NV Supplier:

Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands Address:

Telephone Number: +31 20 5458545, +31 20 5458222

www.canon-europe.com, ceu-Reach@canon-europe.com E-mail Address:

DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240;

Emergency Telephone Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48; UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

Manufacturer: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2 HAZARDS IDENTIFICATION

Emergency Overview:

Ink tank containing violet liquid ink with slight odor.

US Regulatory Status under OSHA HCS:

Classified as hazardous.

US Label Elements under OSHA HCS:

Signal Word: Not required

Hazard Warning: VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

Not required **Safety Advice:**

Hazardous Component: Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

Not required **R-Phrase:**

S-Phrase: Not required

Dangerous Component: Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Safety data sheet available for professional user on request.

Other Hazards:

None

3857B



MSDS #:

Page 2 of 8 IC2017-0202

Product Code: 3857B

COMPOSITION/INFORMATION ON INGREDIENTS **SECTION 3**

Substance or Mixture: Mixture

Ingredient(s):

Chemical Name/ CAS #/ Generic Name EC #		Concentration/ Concentration Range (%)			EU Classification according to (EC) No 1272/2008		Note to Other
	EC#		Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement* ¹	Hazards*
Glycerin	56-81-5 / 200-289-5	5 - 10	None	None	None	None	(1)
Poly(oxy-1,2-ethanediyl), alpha, alpha, -[1,4-dimethyl-1,4-dis/2-methylpropyl)-2-butyne-1,4-diyl]bis[.omegahydroxy-	9014-85-1 / Not applicable	1 - 5	Xi / Irritant	R41	Eye Dam. 1	H318	
Glycol	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

^{*1} Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Date of Issue:June 12, 2009 Revision Date: September 18, 2012

^{*2} The following substance(s) is (are) marked with (1), (2) and/or (3)

⁽¹⁾ Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

⁽²⁾ PBT substance or vPvB substance under Regulation (EC) No 1907/2006

⁽³⁾ Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

MSDS #: Product Code:

Page 3 of 8 IC2017-0202

3857B

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Eye:

May cause minimal irritation. (See SECTION 11)

Chronic Effects:

Not identified

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

None

Hazardous Combustion Products:

CO, CO2, NOx and SOx

Advice for Fire-fighters:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Avoid breathing vapor and mist.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Date of Issue:June 12, 2009

Revision Date: September 18, 2012



Page 4 of 8 IC2017-0202

Revision Date: September 18, 2012

MSDS #: MATERIAL SAFETY DATA SHEET Product Code:

	LING AND STORAG	E			
Precautions for Safe Hand	_				
Avoid breathing vapor ar					
Use with adequate ventil					
Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.					
Conditions for Safe Storag		ompatibilities:			
Keep in a cool and dry pl	lace.				
Protect from sunlight.					
Keep out of the reach of children.					
Specific End Uses:					
Ink for Ink Jet Printer.					
For more information, pl	ease refer to the instru	ction of this product.			
SECTION 8 EXPOS	URE CONTROLS / 1	PERSONAL PROT	ECTION		
Control Parameters:	USA	ACGIH TLV	EU OEL		
	OSHA PEL				
Product (Ink)	Not established	Not established	Not established		
Glycerin	Glycerin mist:	Glycerin mist:	Not established		
•	TWA 15 mg/m ³	TWA 10 mg/m ³			
	(Total dust) TWA 5 mg/m ³				
	(Respirable fraction)				

Exposure	Controls
rxbosure	Controis:

Engineering Controls: No special ventilation equipment is needed under intended use of this product.				
Individual Protection Measures:				
Eye/Face Protection:	☐ Required	Not Required		
Skin Protection:	Required	Not Required		
Respiratory Protection	: Required	Not Required		

Page 5 of 8 IC2017-0202 MSDS #:

MATERIAL SAFETY DATA SHEET Product Code:

3857B

SECTION 9 PHYSICAL AND CHE	MICAL PROPERTIES	
Information on Basic Physical and Chemic	cal Properties:	
Appearance:	Violet liquid	
Odor:	Slight odor	
pH:	9 - 10	
Melting Point/Freezing Point ($^{\circ}$ C):	Not available	
Initial Boiling Point and Boiling Range (°C):	Not available	
Flash Point(°C):	None (Estimate)	
Evaporation Rate:	Not available	
Flammability:	Neither flammable nor combustible.	
Upper/Lower Flammable or Explosive Limits:	None (Estimate)	
Vapor Pressure :	Not available	
Vapor Density:	Not available	
Relative Density:	1.0 - 1.1	
Water Solubility:	Miscible	
Fat Solubility:	Not available	
Partition Coefficient (n-Octanol/Water):	Not available	
Auto-ignition Temperature (${}^{\circ}$ C):	None (Estimate)	
Decomposition Temperature (°C):	Not available	
Viscosity (mPa s):	1 - 5	
Explosive Properties:	None (Estimate)	
Oxidizing Properties:	None (Estimate)	
Other Information:	Not available	
SECTION 10 STABILITY AND REA	CTIVITY	
Reactivity: None		
Chemical Stability:	able Unstable	
Possibility of Hazardous Reactions: $\underline{\text{None}}$		
Conditions to Avoid: None		
Incompatible Materials: Acids	, bases, oxidizing materials and reducing agents	
Hazardous Decomposition Products: CO, CO ₂ , NOx and SOx		

Date of Issue:June 12, 2009

Revision Date: September 18, 2012

MSDS #: Product Code:

IC2017-0202

3857B

Page 6 of 8

TOXICOLOGICAL INFORMATION **SECTION 11**

Information on Toxicological Effects:

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Corrosivity/Irritation:

Skin:

Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

Eye:

Minimal irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

Sensitization:

Skin:

Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

Repeated Dose Toxicity:

Not available

Carcinogenicity:

Not available

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Toxicity for Reproduction:

Not available

Other Information:

Not available

Date of Issue:June 12, 2009

Revision Date: September 18, 2012

MATERIAL SAFETY DATA SHEET Product Code:

MSDS #:

Page 7 of 8 IC2017-0202 3857B

ECOLOGICAL INFORMATION SECTION 12

Toxicity: Not available

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available **Mobility in Soil:** Not available

Results of PBT and vPvB No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under

Assessment: Regulation (EC) No 1907/2006.

Other Adverse Effects: Not available

DISPOSAL CONSIDERATIONS **SECTION 13**

Waste Treatment Methods:

Disposal should be subject to federal, state and local laws.

TRANSPORT INFORMATION **SECTION 14**

UN Number: None

None **UN Proper Shipping Name:**

Transport Hazard Class: None

None **Packing Group:**

Not classified as environmentally hazardous under UN Model Regulations and marine **Environmental Hazards:**

pollutant under IMDG Code.

Special Precautions for User: None

REGULATORY INFORMATION **SECTION 15**

< USA Information >

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

Not regulated **Restriction:**

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

Date of Issue:June 12, 2009 Revision Date: September 18, 2012



MSDS #:

IC2017-0202

Page 8 of 8

Product Code: 3857B

SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

R41: Risk of serious damage to eyes.

<EU Hazard statement according to (EC) No 1272/2008>

H318: Causes serious eye damage.

<Revised information from the previous version> Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

 $EU\ OEL:\ Occupational\ exposure\ limits\ at\ Community\ level\ under\ Directive\ 2004/37/EC,\ 98/24/EC,\ 91/322/EEC,\ 2000/39/EC,\ 2006/15/EC\ and\ 2009/161/EU$

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: June 12, 2009 Revision Date: September 18, 2012