SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier:				
Product Name:	Canon Ink Tank PFI-304PGY			
Product Code:	3859B			
Relevant Identified Us	es: Ink for Ink Jet Printer			
Details of Supplier of S	Safety Data Sheet:			
Supplier:	Supplier: Canon Europa NV			
Address:	Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands			
Telephone Number	:+31 20 5458545, +31 20 5458222			
E-mail Address:	www.canon-europe.com, ceu-Reach@canon-europe.com			
Emergency Telephone	Number: DENMARK: +45 82 12 12; GERMANY: +49 30 19240, +49 761 19240; BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48; UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31			
Manufacturer:	Canon Inc.			
Address:	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan			
Emergency Overview: Ink tank containing US Regulatory Status Classified as hazard US Label Elements un Signal Word: Hazard Warning:	black liquid ink with slight odor. under OSHA HCS: lous. hder OSHA HCS: Not required VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION. Not required unent: Not required er 1999/45/EC:			
EU Label Elements un	der 1999/45/EC:			
Symbol & Indicati	ion: Not required			
R-Phrase:	Not required			
S-Phrase:	Not required			
Dangerous Compo	onent: Not required			
**	Elements in accordance with Annex V to 1999/45/EC: neet available for professional user on request.			
Other Hazards:				

None



MATERIAL SAFETY DATA SHEET

Page 2 of 8 IC2019-0202

MSDS #:

Product Code:

3859B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

CAS #/ EC #				EU Classification according to (EC) No 1272/2008		Note to Other
	Range (%)	Symbol/ Indication of Danger	R-Phrase ^{*1}	Hazard Class/ Category Code	Hazard	Hazards*2
56-81-5 / 200-289-5	5 - 10	None	None	None	None	(1)
9014-85-1 / Not applicable	1 - 5	Xi / Irritant	R41	Eye Dam. 1	H318	
7732-18-5 / 231-791-2	60 - 80	None	None	None	None	
	EC # 56-81-5 / 200-289-5 9014-85-1 / Not applicable 7732-18-5 /	EC # Concentration Range (%) 56-81-5 / 200-289-5 5 - 10 9014-85-1 / Not applicable 1 - 5 7732-18-5 / 60 - 80	EC # Concentration Range (%) 67/548/EEC Symbol/ Indication of Danger 56-81-5 / 200-289-5 5 - 10 None 9014-85-1 / Not applicable 1 - 5 Xi / Irritant 7732-18-5 / 60 - 80 None	EC # Concentration Range (%) 67/548/EEC Symbol/ Indication of Danger R-Phrase*1 56-81-5 / 200-289-5 5 - 10 None None 9014-85-1 / Not applicable 1 - 5 Xi / Irritant R41 7732-18-5 / 60 - 80 None None	EC #Concentration Range (%)67/548/EEC Symbol/ Indication of DangerR-Phrase*1(EC) No 12 Hazard Class/ Category Code56-81-5 / 200-289-55 - 10NoneNoneNone9014-85-1 / Not applicable1 - 5Xi / IrritantR41Eye Dam. 17732-18-5 /60 - 80NoneNoneNone	EC #Concentration Range (%)67/548/EEC Symbol/ Indication of DangerR-Phrase*1(EC) No 1272/2008 Hazard Class/ Category CodeHazard Statement*156-81-5 / 200-289-55 - 10NoneNoneNoneNone9014-85-1 / Not applicable1 - 5Xi / IrritantR41Eye Dam. 1H3187732-18-5 /60 - 80NoneNoneNoneNone

*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



ECTION 4	FIRST AID MEASURES
irst Aid Measur	es:
Inhalation:	
	s are experienced, move victim to fresh air and obtain medical advice.
Ingestion:	
	h. Give one or two glasses of water.
Skin:	or discomfort occurs, obtain medical advice immediately.
	water and soap or mild detergent.
	persists, obtain medical advice.
Eye:	
	y flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.
	persists, obtain medical advice immediately.
	Symptoms and Effects, both Acute and Delayed:
Inhalation:	symptoms and Effects, both fielde and Delayed.
	e effects are expected under intended use.
	sure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headach
and nausea	· · · · · · ·
Ingestion:	
May cause	abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.
Skin:	
Neither irr	itation nor sensitization is expected. (See SECTION 11)
Eye:	
May cause	mild irritation. (See SECTION 11)
Chronic Effec	
Not identif	
	y Immediate Medical Attention and Special Treatment Needed:
None	miniculate medical methods and special methods recided.
None	
ECTION 5	FIRE FIGHTING MEASURES
Extinguishing M	adia
-	
	guishing Media:
	foam or dry chemicals
	tinguishing Media:
None	
pecial Hazards:	
None	oustion Products:
Iazardous Coml	2, NOx and SOx
Iazardous Coml CO, CO ₂ , SiC	
Iazardous Coml	

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.



Page 4 of 8 IC2019-0202

MSDS #:

Product Code:

3859B

SECTION 7 HANDLING AND STORAGE

Precautions for Safe Handling:

Avoid breathing vapor and mist.

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Conditions for Safe Storage, Including Any Incompatibilities:

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

Specific End Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

ntrol Parameters:	USA OSHA PEL	ACGIH TLV	EU OEL
Product (Ink)	Not established	Not established	Not established
Glycerin	Glycerin mist: TWA 15 mg/m ³ (Total dust) TWA 5 mg/m ³ (Respirable fraction)	Glycerin mist: TWA 10 mg/m ³	Not established

Exposure Controls:

Engineering Controls: No special ventilation equipment is needed under intended use of this product. **Individual Protection Measures:**

Eye/Face Protection: Required Not Required

Skin Protection: 🗌 Required 🛛 Not Required

Respiratory Protection: Required Not Required

MSDS #:

Product Code:

PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9 Information on Basic Physical and Chemical Properties: Appearance:** Black liquid **Odor:** Slight odor 8 - 9 pH: Melting Point/Freezing Point (°C): Not available **Initial Boiling Point and** Not available Boiling Range (°C): Flash Point(°C): None (Estimate) **Evaporation Rate:** Not available Neither flammable nor combustible. Flammability: Upper/Lower Flammable or **Explosive Limits:** None (Estimate) Vapor Pressure : Not available Vapor Density : Not available **Relative Density:** 1.0 - 1.1 Water Solubility : Miscible **Fat Solubility :** Not available Partition Coefficient (n-Octanol/Water): Not available Auto-ignition Temperature (°C): None (Estimate) **Decomposition Temperature(°C):** Not available Viscosity (mPa s): 1 - 5 None (Estimate) **Explosive Properties: Oxidizing Properties:** None (Estimate) **Other Information:** Not available **SECTION 10** STABILITY AND REACTIVITY **Reactivity:** None \boxtimes Stable \square Unstable **Chemical Stability:** Possibility of Hazardous Reactions: None **Conditions to Avoid:** None

Incompatible Materials:Acids, bases, oxidizing materials and reducing agentsHazardous Decomposition Products: CO, CO₂, SiO₂, NOx and SOx



ECTION 11 TOXICOLOGICAL INFORMATION	
formation on Toxicological Effects:	
Acute Toxicity:	
Inhalation:	
Not available	
Ingestion:	
Not available	
Corrosivity/Irritation:	
Skin:	
Non-irritant (rabbit) (Estimate)	
OECD Guidelines No. 404 (2002), 2004/73/EC Method B4	
Eye:	
Mild irritant (rabbit) (Estimate)	
OECD Guidelines No. 405 (2002), 2004/73/EC Method B5	
Sensitization: Skin:	
Non-sensitizer (mouse) (Estimate)	
OECD Guidelines No. 429 (2002), 2004/73/EC Method B42	
Repeated Dose Toxicity:	
Not available	
Carcinogenicity:	
Not available	
Mutagenicity:	
Ames test: Negative (S. typhimurium & E. Coli)	
Toxicity for Reproduction:	
Not available	
Other Information:	
Not available	

Canon		MSDS #:	Page 7 of 8 IC2019-0202
Canon	MATERIAL SAFETY DATA SHEET	Product Code:	3859B
SECTION 12 ECO	LOGICAL INFORMATION		
Toxicity:	Not available		
Persistence and Degrad	ability: Not available		
Bioaccumulative Potent	ial: Not available		
Mobility in Soil:	Not available		
Results of PBT and vPv Assessment:	B No results that the component(s) of this ink meet(s) t Regulation (EC) No 1907/2006.	he PBT or vPvB	criteria under
Other Adverse Effects:	Not available		
Waste Treatment Meth	POSAL CONSIDERATIONS ods: e subject to federal, state and local laws.		
SECTION 14 TRA	NSPORT INFORMATION		
UN Number:	None		
UN Proper Shipping Na	ame: None		
Transport Hazard Clas	s: None		
Packing Group:	None		
Environmental Hazard	s: Not classified as environmentally hazardous under UN pollutant under IMDG Code.	N Model Regula	tions and marii
Special Precautions for	User: None		
SECTION 15 REG	ULATORY INFORMATION		
< USA Information >			
SARA Title III §313: Chemical Name		Weight %	
None			
California Proposition	65:		
Chemical Name		Weight %	
None			
< EU Information > Sofety, Health and Env	vironmental Regulations/Legislation:		
• •	Authorisation: Not regulated		
(EC) 110 1907/2000.	Restriction: Not regulated		
(EC) No 1005/2009:			
	Not regulated		
	Not regulated		
Others:	None		
	sment under (EC) No 1907/2006: Not required		
< Australia Information Statement of Hazard		a of NOHSC.	

Canon

OTHER INFORMATION SECTION 16

<EU R-phrase according to 67/548/EEC> R41: Risk of serious damage to eyes.

<EU Hazard statement according to (EC) No 1272/2008> H318: Causes serious eye damage.

<Revised information from the previous version> Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910

- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of
- Chemicals to Humans
- EU Directive 1999/45/EC

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008

- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA) FHSA: Federal Hazardous Substances Act (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative SVHC: Substances of Very High Concern IARC: International Agency for Research on Cancer NTP: National Toxicology Program (USA) OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA) ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU TWA: Time Weighted Average

STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in

accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.